

HPD UNIQUE IDENTIFIER: 28692

CLASSIFICATION: 06 61 00 Cast Polymer Fabrications

PRODUCT DESCRIPTION: Acrylic Solid Surface Sheets

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

<b>Inventory Reporting Format</b>	<b>Threshold Level</b>	<b>Residuals/Impurities</b>	<i>All Substances Above the Threshold Indicated Are:</i>
<input checked="" type="radio"/> Nested Materials Method	<input checked="" type="radio"/> 100 ppm	Considered in 1 of 1 Materials	<b>Characterized</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Basic Method	<input type="radio"/> 1,000 ppm	<b>Explanation(s) provided for Residuals/Impurities?</b>	<i>% weight and role provided for all substances.</i>
<b>Threshold Disclosed Per</b>	<input type="radio"/> Per GHS SDS	<input checked="" type="radio"/> Yes <input type="radio"/> No	<b>Screened</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other		<i>All substances screened using Priority Hazard Lists with results disclosed.</i>
<input checked="" type="radio"/> Product			<b>Identified</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
			<i>All substances disclosed by Name (Specific or Generic) and Identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**  
**DURASEIN [ ALUMINUM HYDROXIDE BM-2 | RES POLYMETHYL METHACRYLATE (PMMA) LT-P1 | RES TITANIUM DIOXIDE LT-1 | CAN | END ]**

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: GreenGuard - Indoor Air Quality Certified

VOC emissions: GreenGuard Gold - Indoor Air Quality Certified

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2022-06-13

PUBLISHED DATE: 2022-06-14

EXPIRY DATE: 2025-06-13

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

### DURASEIN

#: 100.0000

PRODUCT THRESHOLD: 100 ppm      RESIDUALS AND IMPURITIES CONSIDERED: No      MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected in the final product.

OTHER MATERIAL NOTES: All substances in this material are below the reportable threshold.

### ALUMINUM HYDROXIDE

ID: 8064-00-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library      HAZARD SCREENING DATE: 2022-06-13 10:26:06

#: 56.0000 - 60.0000      GS: BM-2      RC: UNK      NANO: No      SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES:

### POLYMETHYL METHACRYLATE (PMMA)

ID: 9011-14-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library      HAZARD SCREENING DATE: 2022-06-13 10:26:06

#: 36.0000 - 40.0000      GS: LT-P1      RC: UNK      NANO: No      SUBSTANCE ROLE: Monomer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES:

### TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library      HAZARD SCREENING DATE: 2022-06-13 10:26:07

#: 1.5000 - 2.5000      GS: LT-1      RC: None      NANO: No      SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

SUBSTANCE NOTES:

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

#### GreenGuard - Indoor Air Quality Certified

CERTIFYING PARTY: Third Party

ISSUE DATE: EXPIRY DATE: CERTIFIER OR LAB:

APPLICABLE FACILITIES: All commercial environments

2015-11-01 2022-11-09 Underwriters Laboratories

CERTIFICATE URL:

<https://static1.squarespace.com/static/5668bb931115e015efb78a7a/t/5d00ca6e6ca3610001bc93d6/1560332912494/UL-Certification-GreenGuard-2019.pdf>

CERTIFICATION AND COMPLIANCE NOTES: Greenguard certified

### VOC EMISSIONS

#### GreenGuard Gold - Indoor Air Quality Certified

CERTIFYING PARTY: Third Party

ISSUE DATE: EXPIRY DATE: CERTIFIER OR LAB:

APPLICABLE FACILITIES: All commercial environments

2015-11-01 2022-11-09 Underwriters Laboratories

CERTIFICATE URL:

<https://static1.squarespace.com/static/5668bb931115e015efb78a7a/t/5d00ca867458550001c902ee/1560332936115/UL-Certification-GreenGuard-Gold-2019.pdf>

CERTIFICATION AND COMPLIANCE NOTES:

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

Durasein solid surface materials consist of reacted monomers and resins, mineral fillers and pigments manufactured as sheet material, sinks and bathtubs. Durasein solid surface materials are solid, non-porous, homogeneous, renewable and are free from internal strengthening fibers. They comply with ISFA Standard Type solid surface materials and are designed for horizontal, vertical, wet, and dry applications. They do not require a full substrate to perform in horizontal applications. The versatility of this material is exemplified by its inclusion in the following Product Classifications: 06 61 00 Wood, Plastics and Composites; 06 61 16 Solid Surfacing Fabrications; 07 42 63 Fabricated Wall Panel Assemblies; 07 46 63 Fabricated Panel Assemblies with Siding; 10 11 43 Visual Display Wall Panels; 10 14 00 Signage; 10 21 13 Toilet Compartments; 10 21 16 Shower and Dressing Compartments; 10 25 13 Patient Bed Service Walls; 11 42 16 Food Preparation Surfaces; 11 74 00 Dental Equipment; 12 35 00 Specialty Casework; 12 36 61.16 Solid Surfacing Countertops; 12 51 83 Custom Office Furniture; 13 12 00 Fountains; 13 21 13 Clean Rooms; 14 27 13 Custom Elevator Cab Finishes; 22 41 00 Residential Plumbing Fixtures; 22 42 00 Commercial Plumbing Fixtures and 22 43 00 Healthcare Plumbing Fixtures.

**MANUFACTURER INFORMATION**

MANUFACTURER: **Relang International LLC**  
 ADDRESS: **7030 Quad Ave.**  
**Suite 3**  
**Rosedale MD 21237, USA**  
 WEBSITE: **www.duraseinusa.com**

CONTACT NAME: **Keith S. Haight**  
 TITLE: **Technical Manager**  
 PHONE: **8777717712**  
 EMAIL: **keith.haight@duraseinusa.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>NoGS</b> No GreenScreen.
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*